

Amendments to the Claims:

Kindly cancel claims 1-12 and amend claims 13, 14, 16, 17 and 24 as follows. The following listing of claims replaces all prior versions and listings of claims in the application.

Listing of Claims

1-12. Canceled.

13. (Currently amended) A method of treating chronic allograft rejection in an allograft recipient in need of such treatment comprising administering cyclosporin A and 2-chlorodeoxyadenosine to the [an] allograft recipient in a coordinated dosage regime comprising days on which both cyclosporin A and 2-chlorodeoxyadenosine are administered and days on which only cyclosporin A is administered. ~~about one to about 16 milligrams of cyclosporin A per kilogram of recipient body mass per day and about 0.5 to about 3 milligrams of 2-chlorodeoxyadenosine per kilogram of recipient body mass per week.~~

14. (Currently amended) The method according to claim 13 wherein about one to about 16 milligrams of cyclosporin A per kilogram of recipient body mass per day and about 0.5 to about 3 milligrams of 2-chlorodeoxyadenosine per kilogram of recipient body mass per week is administered. ~~cyclosporin is present in an amount by weight that is between about 2 and about 224 times the amount by weight of 2-chlorodeoxyadenosine.~~

15. Cancelled.

16. (Currently amended) The method according to claim 13 wherein the dosing regime for cyclosporin A is between about 7 and about 112 mg per kilogram of recipient body mass per week.

17. (Currently amended) The method according to claim 13 [16] wherein the dosing regime for cyclosporin A is about 5 mg per kilogram of recipient body mass per day for about two weeks followed by about 5 mg per kilogram of recipient body mass about three times per week.

18. (Currently amended) The method according to claim 13 wherein the dosing regime for 2-chlorodeoxyadenosine is a single dose administered about once per week. ~~17 wherein the daily dose is divided into two equal daily doses.~~

19. Cancelled.

20. (Currently amended) The method according to claim 13 wherein the dosing regime for 2-chlorodeoxyadenosine is a daily dose administered for 1 day to 3 consecutive days during a period of about 7 to about 21 days. ~~1 mg per kilogram of recipient body mass per week.~~

21. Cancelled.

22. (Previously presented) The method according to claim 13 wherein the dosing regime for 2-chlorodeoxyadenosine is about 1.5 to about 3 mg per kilogram of recipient body mass per three weeks.

23. Cancelled.

24. (Currently amended) The method according to claim 13 wherein the mode of administration of cyclosporin A and 2-chlorodeoxyadenosine is subcutaneously, orally, or intravenously.